

Index to volume 7

Author index

A

- Abel EA, Cox AJ, Farber EM: Epidermal dystrophy and actinic keratoses in psoriasis patients following oral psoralen photochemotherapy (PUVA), 333
- Ablow RC *see* Milstone et al, 663
- Abramovits W *see* Ahmed et al, 478
- Abramson JS, Dahl MV, Walsh G, Blumenthal MN, Douglas SD, Quie PG: Antistaphylococcal IgE in patients with atopic dermatitis, 105
- Ahmed AR, Moy R: Death in pemphigus, 221
- , Schreiber P, Abramovits W, Ostreicher M, Lowe NJ: Coexistence of lichen planus and systemic lupus erythematosus, 478
- Albert E *see* Tappeiner et al, 66
- Albright SD III: Treatment of skin cancer using multiple modalities, 143
- Altman SM *see* Harley et al, 328
- Aly R *see* Chan et al, 346
- Anderson PC: Support for skin research, 278 (Correspondence)
- Arbuckle S, Weedon D: Eosinophilic globules in the Spitz nevus, 324
- Arias AM, Yung CW, Rendler S, Soltani K, Lorincz AL: Familial severe twenty-nail dystrophy, 349
- Arndt KA *see* Paul et al, 758
- Arnold HL Jr *see* Rees and Arnold, 411
- Aton JK *see* Guill et al, 408 (Correspondence)
- Auerbach R *see* Roenigk et al, 688 (Correspondence)
- *see* Weinstein et al, 558 (Correspondence)
- Austin VH: Mineral oil versus KOH for *Sarcoptes*, 555 (Correspondence)
- Aylesworth R, Vance JC: *Demodex folliculorum* and *Demodex brevis* in cutaneous biopsies, 583
- Ayres S Jr, Mihan R: Vitamin E as useful therapeutic agent, 521 (Current issues)

B

- Baker R *see* Feldman et al, 545
- Baranda L *see* Moncada and Baranda, 557 (Correspondence)
- Bari W *see* Strayer et al, 229
- Barnhill RL, McDougall AC: Thalidomide: Use and possible mode of action in reactional lepromatous leprosy and in various other conditions, 317
- Bart RS: Methotrexate dosage schedule, 558 (Correspondence)
- Barza M, Goldstein JA, Kane A, Feingold DS, Pochi PE: Systemic absorption of clindamycin hydrochloride after topical application, 208
- Bauer EA, Cooper TW: Reply to Bergfeld WF and Orlowski JP: Epidermolysis bullosa letalis and phenytoin, 276 (Correspondence)
- Bemis J *see* Poh-Fitzpatrick et al, 100
- Bendl BJ *see* Gratton et al, 50
- Berger SS: Reply to Field LM: Dermatology and surgery, 136 (Correspondence)

- Bergfeld WF, Orlowski JP: Epidermolysis bullosa letalis and phenytoin, 275 (Correspondence)
- Berken A: Reply to Elion GB, Williams TE: Allopurinol-induced suppressor T cell dysfunction, 688 (Correspondence)
- Berstein M *see* Schillinger et al, 667
- Bhatia SG, Ong GP: Reply to Austin VH, Topham EB: Mineral oil versus KOH for *Sarcoptes*, 556 (Correspondence)
- Bickers DR: Photoprotection of human skin, 402 (Editorial)
- : Reply to Greist MC, Norins AL: Benoxaprofen: A new arthritis medication that causes phototoxicity, 690 (Correspondence)
- Billano RA, Little WP: Hypertrophic actinic keratosis, 484
- Binstock JH: Safety of chemical face peels, 137 (Correspondence)
- Bisaccia EP, Scarborough DA, Gerace A, Rau RC: Necrotizing vasculitis and uveitis, 274 (Correspondence)
- Bledin AG *see* Kantarjian et al, 804 (Correspondence)
- Blumenthal MN *see* Abramson et al, 105
- Bohm ML, Voorhees JJ, Epstein JH: Strategies to promote direct access: The public education alternative, 681 (Editorial)
- Briggaman RA *see* Gammon et al, 382
- *see* Olansky et al, 511
- Brothagen H *see* Wulf et al, 194
- Buchanan S *see* Harley et al, 328
- Burgdorf WHC, Doran CK, Worret W-I: Folded skin with scarring: Michelin tire baby syndrome, 90
- Burnham TK *see* Clayton and Burnham, 236

C

- Cage GW: Small congenital nevi, 685 (Correspondence)
- Callaway JL *see* Graham and Callaway, 785
- Callen JP *see* Hudson and Callen, 269 (Editorial)
- Caplan RM: Problems that deans face, 694 (Commentary)
- Carr RD: Methotrexate guidelines and liver biopsies, 688 (Correspondence)
- Cassileth BR, Lusk EJ, Tenaglia AN: A psychological comparison of patients with malignant melanoma and other dermatologic disorders, 742
- Chakrabarti SG *see* Grimes et al, 771
- Chalker DK *see* Rogers et al, 552 (Editorial)
- Chan H-L, Aly R, Maibach HI: Effect of topical corticosteroid on the microbial flora of human skin, 346
- Chuang T-Y, Ilstrup DM, Perry HQ, Kurland LT: Pityriasis rosea in Rochester, Minnesota, 1969 to 1978, 80
- Clayton CA, Burnham TK: Systemic lupus erythematosus and coexisting bullous pemphigoid: Immunofluorescent investigations, 236
- Cohen HJ: Direct access to dermatologists, 801 (Correspondence)
- Collins JP *see* Gratton et al, 50
- Comerford M *see* Halprin et al, 614, 633, 641 (Current issues)
- Conant MA: Reply to Novak M: Genetic predisposition to Kaposi's sarcoma, 807 (Correspondence)
- Connolly SM *see* Massa and Connolly, 255
- *see* Winkelmann et al, 94
- Cooper AJ, Winkelmann RK, Wilsie JC: Hematologic malignancies occurring in patients with urticaria pigmentosa, 215
- *see* Perry et al, 705 (Epitaphs)

- Cooper PH *see* Swerlick et al, 54
 Cooper TW *see* Bauer and Cooper, 276 (Correspondence)
 Coskey RJ: Dermatologic therapy: December, 1980, through November, 1981, 23
 —: Reply to Stockley IH: Tetracycline and oral contraceptives, 280 (Correspondence)
 Cottenot F *see* Wallach and Cottenot, 800 (Correspondence)
 Cox AJ *see* Abel et al, 333
 Crotty CP, Winkelmann RK: Tilorone hydrochloride in the treatment of T cell lymphoproliferative cutaneous disease, 468
 Crounse RG: Nutrition is not just for nutritionists anymore, 400 (Editorial)

D

- Dahl MV *see* Abramson et al, 105
 Dao L *see* Hurtado et al, 341
 Day CL *see* Rhodes et al, 409 (Correspondence)
 DeLeo VA *see* DiBacco and DeLeo, 709
 Dempsey KJ: Hypersensitivity of Sta-Lok and Loctite anaerobic sealants, 779
 De Villez RL *see* Stasko and De Villez, 377
 — *see* Stasko et al, 792
 DiBacco RS, DeLeo VA: Mastocytosis and the mast cell, 709
 Dicken CH *see* Sanchez et al, 599
 Doran CK *see* Burgdorf et al, 90
 Douglas SD *see* Abramson et al, 105
 Douglass MC *see* Edelglass et al, 353
 Doyle JA *see* Winkelmann et al, 94
 Drucker CR, Duncan WC: Antiplatelet therapy in atrophie blanche and livedo vasculitis, 359
 Duncan WC *see* Drucker and Duncan, 359

E

- Edelglass JW, Douglass MC, Stieffler R, Tessler M: Cutaneous larva migrans in northern climates, 353
 Elgart ML *see* McCormack et al, 678
 Elion GB, Williams TE: Allopurinol-induced suppressor T cell dysfunction, 687 (Correspondence)
 Ellis CN: Reply to Tkach JR: Indomethacin-induced hyperglycemia in psoriatic arthritis, 802 (Correspondence)
 Engasser PG, Maibach HI: Leukoderma from hydroquinone? 134 (Correspondence)
 Enterline J *see* Grimes et al, 771
 Epstein JH *see* Bohm et al, 681 (Editorial)
 Esterly NB: Reply to Bergfeld WF and Orlowski JP: Epidermolysis bullosa letalis and phenytoin, 277 (Correspondence)
 Estes SA *see* Olet and Estes, 405 (Correspondence)
 Eubanks SW, Gentry RH, Patterson JW, May DL: Treatment of multiple keratoacanthomas with intralesional fluorouracil, 126
 — *see* Patterson et al, 369
 Everett MA: Dermatopathology 1982, 133 (Editorial)

F

- Farber EM *see* Abel et al, 333
 Farber GA: Chemical exfoliation, 279 (Correspondence)
 Feingold DS *see* Barza et al, 208
 Feldman PS, Walker AN, Baker R: Cutaneous lesions heralding disseminated cytomegalovirus infection, 545
 Field LM: Dermatology and surgery, 135 (Correspondence)
 Findlay RF *see* Fox et al, 504
 Fisher AA: Can bleaching creams containing 2% hydroquinone produce leukoderma, 134 (Correspondence)
 —: Cross-sensitization between ethylenediamine and ethylenediamine tetraacetic acid (EDTA), 808 (Correspondence)

- Fitzpatrick TB *see* Rhodes et al, 409 (Correspondence)
 Forsey RR, Leclerc G: French Canadians and the 12th International Congress of Dermatology, 803 (Correspondence)
 Fox BJ, Odom RB, Findlay RF: Erythromycin therapy in bullous pemphigoid: Possible anti-inflammatory effects, 504
 Fritz KA *see* Lee et al, 590
 Fritz TJ *see* Lee et al, 590

G

- Gammon WR, Briggaman RA, Wheeler CE Jr: Epidermolysis bullosa acquisita presenting as an inflammatory bullous disease, 382
 — *see* Olansky et al, 511
 Gaudreau P *see* Gratton et al, 50
 Gentry RH *see* Eubanks et al, 126
 Gerace A *see* Bisaccia et al, 274 (Correspondence)
 Giacobetti R *see* Scott et al, 684 (Correspondence)
 Gladstein AH *see* Harley et al, 328
 Goette DK *see* Horn et al, 203
 Goldberg LA *see* Schillinger et al, 667
 Goldsmith LA *see* Levy and Goldsmith, 606
 Goldstein JA *see* Barza et al, 208
 Goldyne ME: Indomethacin and hyperhidrosis, 800 (Correspondence)
 Golitz L *see* Lee et al, 590
 Gooch MH *see* Hurwitz et al, 246
 Goslen JB *see* Pollack et al, 569
 Gough JE *see* Grimes et al, 771
 Graff GE *see* Patterson et al, 369
 Graham JR Jr, Callaway JL: Primary inoculation blastomycosis in a veterinarian, 785
 Gratton D, Raymond GP, Guertin-Larochelle S, Maddin SW, Leneck CM, Warner J, Collins JP, Gaudreau P, Bendt BJ: Topical clindamycin versus systemic tetracycline in the treatment of acne, 50
 Green D, Maize JC: Maternal pemphigus vulgaris with in vivo bound antibodies in the stillborn fetus, 388
 — *see* Maize et al, 736
 Greist MC, Norins AL: Benoxaprofen: A new arthritis medication that causes phototoxicity, 689 (Correspondence)
 Griffiths WAD: Vitamin A and pityriasis rubra pilaris, 555 (Correspondence)
 Grimes PE, Minus HR, Chakrabarti SG, Enterline J, Halder R, Gough JE, Kenney JA Jr: Determination of optimal topical photochemotherapy for vitiligo, 771
 Grisewood E *see* Harley et al, 328
 Guertin-Larochelle S *see* Gratton et al, 50
 Guill MA, Aton JK, Rogers RB: Neonatal herpes simplex associated with fetal scalp monitor, 408 (Correspondence)
 — *see* Horn et al, 203
 Guin JD, Lummis WL: Comedonal levels of free clindamycin following topical treatment with a 1% solution of clindamycin phosphate, 265
 Gutierrez CR *see* Kantarjian et al, 804 (Correspondence)

H

- Halder R *see* Grimes et al, 771
 Hall RP III, Lawley TJ, Katz SI: Bullous eruption of systemic lupus erythematosus, 797 (Editorial)
 Halprin KM, Comerford M, Taylor JR: Cancer in patients with psoriasis, 633
 —, —, —: Constant low-dose ultraviolet light therapy for psoriasis, 614
 —, —, —: Response to Stern RS: Bias in the assessment of skin cancer risk in patients with psoriasis, 641 (Current issues)

- Handt A *see* Hurwitz et al, 246
Harley NH, Kolber AB, Altman SM, Gladstein AH, Buchanan S, Marx J, Grisewood E, Kopf A: Determination of half-dose depth in skin for soft x-rays, 328
Harrist TJ *see* Rhodes et al, 409 (Correspondence)
Hausen BM: Airborne contact dermatitis caused by tulip bulbs, 500
Haynie TP *see* Kantarjian et al, 804 (Correspondence)
Herzig G *see* Strayer et al, 229
Heskel NS, Samour CM, Storrs FJ: Allergic contact dermatitis from dodecyl maleamic acid in Curad adhesive plastic bandages, 747
Hintner H *see* Tappeiner et al, 66
Hofmann C *see* Hölzle et al, 111 (Clinical review)
Holden CA *see* Kerdel et al, 177
Holubar K *see* Tappeiner et al, 800 (Correspondence)
Hölzle E, Plewig G, Hofmann C, Roser-Maass E: Polymorphous light eruption, 111 (Clinical review)
Horn RT Jr, Goette DK, Odom RB, Olson EG, Guill MA: Immunofluorescent findings and clinical overlap in two cases of follicular lichen planus, 203
Hou-Jensen K *see* Wulf et al, 194
Hudson CP, Callen JP: The tetracycline-oral contraceptive controversy, 269 (Editorial)
Huntley AC: The cutaneous manifestations of diabetes mellitus, 427
Hurtado I, Medina JD, Dao L, Urbina C: Studies on the skin-sensitizing properties of the "pepeo" tree, *Mauria puberula* (Anacardiaceae), 341
Hurwitz RM, Rivera HP, Gooch MH, Slama TG, Handt A, Weiss J: Toxic shock syndrome or toxic epidermal necrolysis? 246

I

- Iju M *see* Kumakiri et al, 461
Ilstrup DM *see* Chuang et al, 80

J

- Jegasothy BV *see* Pollack et al, 569
Jelinek JE: Aspects of heredity, syndromic associations, and course of conditions in which cutaneous lesions occur solitarily or in multiplicity, 526 (Clinical review)
Jones HE *see* Roper and Jones, 643 (Clinical review)

K

- Kane A *see* Barza et al, 208
Kantarjian HM, Bledin AG, Kim EE, Gutierrez CR, Haynie TP: Uptake of ^{99m}Tc-methylene diphosphonate in calcinosis cutis, 804 (Correspondence)
Katz SI *see* Hall et al, 797 (Editorial)
— *see* Sauder and Katz, 651 (Clinical review)
Kelly TF *see* Olansky et al, 511
Kenney JA Jr *see* Grimes et al, 771
Kerdel FA, Morgan EW, Holden CA, MacDonald DM: Demonstration of α_1 -antitrypsin and α_1 -antichymotrypsin in cutaneous histiocytic infiltrates and a comparison with intracellular lysozyme, 177
Kim EE *see* Kantarjian et al, 804 (Correspondence)
Kleinberg C, Penetrante RB, Milgrom H, Pickren JW: Metastatic basal cell carcinoma of the skin, 655
Kolber AB *see* Harley et al, 328
Konrad K *see* Tappeiner et al, 800 (Correspondence)
Kopf A *see* Harley et al, 328
Koransky JS, Roenigk HH Jr: Vitiligo and psoriasis, 183
Kortschak SA: Cross-sensitization between ethylenediamine and ethylenediamine tetraacetic acid (EDTA), 807 (Correspondence)

- Kumakiri M, Takashima I, Iju M, Nogawa M, Miura Y: Eruptive vellus hair cysts—a facial variant, 461
Kumar AA: Topical 5-FU helpful in reducing the rate of recurrence of condylomata acuminata, 136 (Correspondence)
Kurland LT *see* Chuang et al, 80

L

- Lancer HA, Moschella SL: Paget's disease of the male breast, 393
Lawley TJ *see* Hall et al, 797 (Editorial)
Leclerc G *see* Forsey and Leclerc, 803 (Correspondence)
Lee LA, Fritz KA, Golitz L, Fritz TJ, Weston WL: Second cutaneous malignancies in patients with mycosis fungoides treated with topical nitrogen mustard, 590
Leneck CM *see* Gratton et al, 50
Levy SB, Goldsmith LA: The peeling skin syndrome, 606
Linert J *see* Tappeiner et al, 66
Little WP *see* Billano and Little, 484
Livingood CS: History of The American Board of Dermatology, Inc. (1932-1982), 821 (Special article)
Long PR, Miller OF III: Linear scleroderma, 541
Lorincz AL *see* Arias et al, 349
Lowe NJ *see* Ahmed et al, 478
Lubritz RR, Smolewski SA: Cryosurgery cure rate of actinic keratoses, 631
Lummis WL *see* Guin and Lummis, 265
Lusk EJ *see* Cassileth et al, 742

M

- McCormack LS, Elgart ML, Turner ML: Benoxaprofen-induced photo-onycholysis, 678
MacDonald DM *see* Kerdel et al, 177
McDougall AC *see* Barnhill and McDougall, 317
McGuire J *see* Milstone et al, 663
Mackel SE *see* Swerlick et al, 54
MacKie RM, Turbitt ML: β_2 -Microglobulin changes in skin cancer, 134 (Correspondence)
McLaurin CI: Psoriasis presenting with pseudoainhum, 130
Maddin SW *see* Gratton et al, 50
Maibach HI *see* Chan et al, 346
— *see* Engasser and Maibach, 134 (Correspondence)
— *see* Roenigk et al, 688 (Correspondence)
— *see* Weinstein et al, 558 (Correspondence)
Maize JC, Green D, Provost TT: Pemphigus foliaceus: A case with serologic features of Senechal-Usher syndrome and other autoimmune abnormalities, 736
— *see* Green and Maize, 388
Marx J *see* Harley et al, 328
Massa MC, Connolly SM: An association between C1 esterase inhibitor deficiency and lupus erythematosus: Report of two cases and review of the literature, 255
Matsuoka LY: Thiothixene drug sensitivity, 405 (Correspondence)
May DL *see* Eubanks et al, 126
Medina JD *see* Hurtado et al, 341
Melski JW *see* Rhodes et al, 409 (Correspondence)
Mihan R *see* Ayres and Mihan, 521 (Current issues)
Mihm MC Jr *see* Rhodes et al, 409 (Correspondence)
— *see* Soter et al, 620
Milgrom H *see* Kleinberg et al, 655
Miller OF III *see* Long and Miller, 541
Millman AJ, Strier RP: Congenital onychodysplasia of the index fingers, 57
Milstone LM, McGuire J, Ablow RC: Premature epiphyseal closure in a child receiving oral 13-*cis*-retinoic acid, 663
Minkin W, Rabhan NB: Office nail fold capillary microscopy using ophthalmoscope, 190

Minus HR *see* Grimes et al, 771
Miura Y *see* Kumakiri et al, 461
Momtaz-T K *see* Paul et al, 758
Moncada B, Baranda L: Ketoconazole and gynecomastia, 557 (Correspondence)
Morgan EW *see* Kerdell et al, 177
Moschella SL *see* Lancer and Moschella, 393
Moy R *see* Ahmed and Moy, 221
Muller SA *see* Powell and Muller, 490
Murphy GF *see* Soter et al, 620

N

Nightingale SH *see* Rogers et al, 729
Nogawa M *see* Kumakiri et al, 461
Norins AL *see* Greist and Norins, 689 (Correspondence)
Novak M: Genetic predisposition to Kaposi's sarcoma, 806 (Correspondence)

O

Odom RB *see* Fox et al, 504
— *see* Horn et al, 203
Olansky AJ, Briggaman RA, Gammon WR, Kelly TF, Sams WM Jr: Bullous systemic lupus erythematosus, 511
Oliet EJ, Estes SA: Perianal comedones associated with chronic topical fluorinated steroid use, 405 (Correspondence)
Olson EG *see* Horn et al, 203
Ong GP *see* Bhatia and Ong, 556 (Correspondence)
Orlowski JP *see* Bergfeld and Orlowski, 275 (Correspondence)
Ostreicher M *see* Ahmed et al, 478

P

Parrish JA *see* Paul et al, 758
Pathak MA: Sunscreens: Topical and systemic approaches for protection of human skin against harmful effects of solar radiation, 285
Patterson JW, Graff GE, Eubanks SW: Perforating folliculitis and psoriasis, 369
— *see* Eubanks et al, 126
Paul BS, Momtaz-T K, Stern RS, Arndt KA, Parrish JA: Combined methotrexate-ultraviolet B therapy in the treatment of psoriasis, 758
Penetrante RB *see* Kleinberg et al, 655
Perry HO, Powell FC, Cooper AJ: Paul A O'Leary—dermatologist and teacher, 705 (Epitaphs)
Perry HO *see* Chuang et al, 80
Peterkin GAG, 702 (Contemporaries)
Phillips GB *see* Strayer et al, 229
Pickren JW *see* Kleinberg et al, 655
Plewig G *see* Hölzle et al, 111 (Clinical review)
Pochi PE *see* Barza et al, 208
Poh-Fitzpatrick MB, Sosin AE, Bemis J: Porphyrin levels in plasma and erythrocytes of chronic hemodialysis patients, 100
Pollack SV, Goslen JB, Sherertz EF, Jegasothy BV: The biology of basal cell carcinoma: A review, 569
Poulsen T *see* Wulf et al, 194
Powell FC, Muller SA: Kerion of the glabrous skin, 490
— *see* Perry et al, 705 (Epitaphs)
Provost TT *see* Maize et al, 736
Purres J: Safety of gamma benzene hexachloride, 407 (Correspondence)

Q

Quie PG *see* Abramson et al, 105

R

Rabhan NB *see* Minkin and Rabhan, 190
Rau RC *see* Bisaccia et al, 274 (Correspondence)
Raymond GP *see* Gratton et al, 50
Rees RB, Arnold HL Jr: American Dermatological Association, 101st meeting, Banff, Alberta, Canada, July 6-11, 1981, 411
Rendler S *see* Arias et al, 349
Rhodes AR: Reply to Cage GW: Small congenital nevi, 687 (Correspondence)
—, Sober AJ, Day CL, Melski JW, Harist TJ, Mihm MC Jr, Fitzpatrick TB: Reply to Silvers DN: Prophylactic excision of nevocellular nevi, 409 (Correspondence)
Rivera HP *see* Hurwitz et al, 246
Roberts HJ: Response to Ayres S Jr, and Mihan R: Vitamin E as useful therapeutic agent, 522 (Current issues)
Robinson JK: American Society for Dermatologic Surgery, 1981 Clinical and Scientific Meeting, Philadelphia, PA, April 23-26, 1981, 559
Roenigk HH Jr, Auerbach R, Maibach HI, Weinstein GD: Reply to Carr RD: Methotrexate guidelines and liver biopsies, 688 (Correspondence)
— *see* Koransky and Roenigk, 183
— *see* Schultz and Roenigk, 495
— *see* Weinstein et al, 558 (Correspondence)
Rogers RB, Smith JG Jr, Chalker DK: Hepatitis and the skin, 552 (Editorial)
— *see* Guill et al, 408 (Correspondence)
Rogers RS III, Sheridan PJ, Nightingale SH: Desquamative gingivitis: Clinical, histopathologic, immunopathologic, and therapeutic observations, 729
Roper SS, Jones HE: A new look at conditioned hyperirritability, 643 (Clinical review)
Rosen T, Tucker SB, Tschen J: Bowen's disease in blacks, 364
Rosenthal SH: Aphthous stomatitis, 689 (Correspondence)
Roser-Maass E *see* Hölzle et al, 111 (Clinical review)

S

Sakas EL *see* Sperling and Sakas, 763
Samour CM *see* Heskelt et al, 747
Sams WM Jr *see* Olansky et al, 511
Sanchez NP, Winkelmann RK, Schroeter AL, Dicken CH: The clinical and histopathologic spectrums of urticarial vasculitis: Study of forty cases, 599
Santa Cruz DJ *see* Strayer et al, 229
Sauder DN, Katz SI: Immune modulation by epidermal cell products: Possible role of ETAF in inflammatory and neoplastic skin diseases, 651 (Clinical review)
Sayen JJ *see* Shelley and Sayen, 674
Scarborough DA *see* Bisaccia et al, 274 (Correspondence)
Schillinger BM, Berstein M, Goldberg LA, Shalita AR: Boric acid poisoning, 667
Scholz S *see* Tappeiner et al, 66
Schreiber P *see* Ahmed et al, 478
Schroeter AL *see* Sanchez et al, 599
Schultz BC, Roenigk HH Jr: The double scalpel and double punch excision of skin tumors, 495
Scott MJ Jr, Giacobetti R, Zugerman C: Malignant melanoma with oculocutaneous albinism, 684 (Correspondence)
Shalita AR *see* Schillinger et al, 667
Shelley ED *see* Shelley and Shelley, 752
Shelley WB, Sayen JJ: Heparin necrosis: An anticoagulant-induced cutaneous infarct, 674

- , Shelley ED: Coexistent erythrasma, trichomycosis axillaris, and pitted keratolysis: An overlooked corynebacterial triad, 752
Sherertz EF *see* Pollack et al, 569
Sheridan PJ *see* Rogers et al, 729
Silvers DN: Prophylactic excision of nevocellular nevi, 409 (Correspondence)
Slama TG *see* Hurwitz et al, 246
Smith JG Jr: XVI International Congress of Dermatology, 397 (Editorial)
— *see* Rogers et al, 552 (Editorial)
Smolewski SA *see* Lubritz and Smolewski, 631
Sober AJ *see* Rhodes et al, 409 (Correspondence)
Soltani K *see* Arias et al, 349
Sosin AE *see* Poh-Fitzpatrick et al, 100
Soter NA, Murphy GF, Mihm MC Jr: Lymphocytes and necrosis of the cutaneous microvasculature in malignant atrophic papulosis: A refined light microscope study, 620
Sperling LC, Sakas EL: Eccrine hidrocystomas, 763
Stasko T, De Villez RL: Murine typhus: A case report and review, 377
—, Vander Ploeg DE, De Villez RL: Hyperkeratotic mycosis fungoides restricted to the palms, 792
Stern RS: Bias in the assessment of skin cancer risk in patients with psoriasis, 639 (Current issues)
— *see* Paul et al, 758
Stiefeler R *see* Edelglass et al, 353
Stockley IH: Tetracycline and oral contraceptives, 279 (Correspondence)
Storck HR, 565 (Contemporaries)
Storrs FJ *see* Heskell et al, 747
Strauss JS *see* Weary and Strauss, 398 (Editorial)
Strayer DS, Phillips GB, Hertz G, Bari W, Santa Cruz DJ: Acute myelomonocytic leukemia presenting as a primary cutaneous lymphoma of true histiocytes, 229
Strier RP *see* Millman and Strier, 57
Sulzberger MB: Reply to Forshey RR, Leclerc G: French Canadians and the 12th International Congress of Dermatology, 803 (Correspondence)
Swerlick RA, Cooper PH, Mackel SE: Rapid enlargement of pilomatricoma, 54

T

- Takashima I *see* Kumakiri et al, 461
Tappeiner G, Hintner H, Scholz S, Albert E, Linert J, Wolff K: Systemic lupus erythematosus in hereditary deficiency of the fourth component of complement, 66
—, Konrad K, Holubar K: Reply to Wallach D, Cottenot F: Erythrodermic bullous pemphigoid or erythrodermic psoriasis and bullous pemphigoid, 800 (Correspondence)
Taylor JR *see* Halprin et al, 614, 633, 641 (Current issues)
Tenaglia AN *see* Cassileth et al, 742
Tessler M *see* Edelglass et al, 353
Thiers BH: Controversies in mycosis fungoides, 1
—: The ichthyoses, 421
—: Unusual treatments for herpesvirus infections. I. Herpes simplex, 811
Tkach JR: Indomethacin-induced hyperglycemia in psoriatic arthritis, 802 (Correspondence)
—: Reply to Goldyne ME: Indomethacin and hyperhidrosis, 801 (Correspondence)
Topham EB: Mineral oil versus KOH for *Sarcoptes*, 555 (Correspondence)
Tromovitch TA: Reply to Binstock JH: Safety of chemical face peels, 138 (Correspondence)

- Tschen J *see* Rosen et al, 364
Tucker SB *see* Rosen et al, 364
Turbitt ML *see* MacKie and Turbitt, 134 (Correspondence)
Turner ML *see* McCormack et al, 678

U

- Urbach F: Causes and effects of stratospheric ozone reduction: An update, 271 (Editorial)
Urbina C *see* Hurtado et al, 341

V

- VanArsdel PP Jr: Reply to Kortschak SA, Fisher AA: Cross-sensitization between ethylenediamine and ethylenediamine tetraacetic acid (EDTA), 808 (Correspondence)
Vance JC *see* Aylesworth and Vance, 583
Vander Ploeg DE *see* Stasko et al, 792
Voorhees JJ *see* Bohm et al, 681 (Editorial)

W

- Walker AN *see* Feldman et al, 545
Wallach D, Cottenot F: Erythrodermic bullous pemphigoid or erythrodermic psoriasis and bullous pemphigoid, 800 (Correspondence)
Walsh G *see* Abramson et al, 105
Warner J *see* Gratton et al, 50
Weary PE: Public education program versus cost-effectiveness study, 808 (Correspondence)
—: Sources of support for skin research, 556 (Correspondence)
—, Strauss JS: Direct access—another assault, 398 (Editorial)
Weedon D *see* Arbuckle and Weedon, 324
Weinstein GD, Auerbach R, Maibach HI, Roenigk HH Jr: Reply to Bart RS: Methotrexate dosage schedule, 558 (Correspondence)
— *see* Roenigk et al, 688 (Correspondence)
Weiss J *see* Hurwitz et al, 246
Weston WL *see* Lee et al, 590
Wheeler CE Jr *see* Gammon et al, 382
White SW: Palmoplantar pustular psoriasis provoked by lithium therapy, 660
Wilbur RS: The Council of Medical Specialty Societies in the 1980s, 549 (Editorial)
Williams TE *see* Elion and Williams, 687 (Correspondence)
Wilsie JC *see* Cooper et al, 215
Winkelmann RK, Connolly SM, Doyle JA: Carpal tunnel syndrome in cutaneous connective tissue disease: Generalized morphea, lichen sclerosus, fasciitis, discoid lupus erythematosus, and lupus panniculitis, 94
— *see* Cooper et al, 215
— *see* Crotty and Winkelmann, 468
— *see* Sanchez et al, 599
Wolff K *see* Tappeiner et al, 66
Worret W-I *see* Burgdorf et al, 90
Wulf HC, Poulsen T, Brodthagen H, Hou-Jensen K: Sunscreens for delay of ultraviolet induction of skin tumors, 194

Y

- Yung CW *see* Arias et al, 349

Z

- Zaias N: Pitted and ringed keratolysis, 787 (Clinical review)
Zugerman C *see* Scott et al, 684 (Correspondence)

Subject index

A

- Acne and related conditions; dermatologic therapy: December, 1980, through November, 1981 (Coskey), 23
topical clindamycin versus systemic tetracycline in treatment of (Gratton et al), 50
- Actinic keratoses, cryosurgery cure rate of (Lubritz and Smolewski), 631
epidermal dystrophy and, in psoriasis patients following oral psoralen photochemotherapy (PUVA) (Abel et al), 333
hypertrophic (Billano and Little), 484
- Airborne contact dermatitis caused by tulip bulbs (Hausen), 500
- Albinism, oculocutaneous, malignant melanoma with (Scott et al), 684 (Correspondence)
- Allergic contact dermatitis from dodecyl maleamic acid in Curad adhesive plastic bandages (Heskel et al), 747
hypersensitivity to Sta-Lok and Loctite anaerobic sealants (Dempsey), 779
- Allergy(ies), dermatologic therapy: December, 1980, through November, 1981, 26
to topical medicaments; conditioned hyperirritability (Roper and Jones), 643 (Clinical review)
- Allopurinol-induced suppressor T cell dysfunction (Elion and Williams), 687 (Correspondence)
reply (Berken), 688 (Correspondence)
- American Board of Dermatology, Inc., The, history of (1932-1982) (Livingood), 821 (Special article)
- Dermatological Association, 101st meeting, Banff, Alberta, Canada, July 6-11, 1981, 411 (Rees and Arnold)
- Society for Dermatologic Surgery, Clinical and Scientific Meeting, Philadelphia, PA, April 23-26, 1981 (Robinson), 559
- Anacardiaceae (*Mauria puberula*), studies on skin-sensitizing properties of "pepeo" tree (Hurtado et al), 341
- Ancylostoma braziliense*, larvae of, causative organisms for cutaneous larva migrans (Edelglass et al), 353
- Antibodies, in vivo bound, in stillborn fetus, maternal pemphigus vulgaris with (Green and Maize), 388
- Antistaphylococcal IgE in patients with atopic dermatitis (Abramson et al), 105
- α_1 -Antitrypsin and α_1 -antichymotrypsin, demonstration of, in cutaneous histiocytic infiltrates and comparison with intracellular lysozyme (Kerdell et al), 177
- Aphthous stomatitis (Rosenthal), 689 (Correspondence)
- Arthritis medication, new, that causes phototoxicity; benoxaprofen (Greist and Norins), 689 (Correspondence)
reply (Bickers), 690 (Correspondence)
- psoriatic, indomethacin-induced hyperglycemia in (Tkach), 802 (Correspondence)
reply (Ellis), 802 (Correspondence)
- Atopic dermatitis, antistaphylococcal IgE in patients with (Abramson et al), 105
- Atopy, history of, noted in one third of cases of pityriasis rosea in Rochester, Minnesota, 1969 to 1978 (Chuang et al), 80

July, pp. 1-142; August, pp. 143-284; September, pp. 285-426; October, pp. 427-568; November, pp. 569-708; December, pp. 709-882.

- Atrophie blanche and livedo vasculitis, antiplatelet therapy in (Drucker and Duncan), 359
- Autoeczematization and autosensitization (conditioned hyperirritability) (Roper and Jones), 643 (Clinical review)
- Autoimmune abnormalities, other, case of pemphigus foliaceus with serologic features of Seneear-Usher syndrome and (Maize et al), 736
- Autosensitization and autoeczematization (conditioned hyperirritability) (Roper and Jones), 643 (Clinical review)

B

- Bacterial infections; dermatologic therapy: December, 1980, through November, 1981, 29
- Basal cell carcinoma, biology of: review (Pollack et al), 569
- Benoxaprofen-induced photo-onycholysis (McCormack et al), 678
- Benoxaprofen: new arthritis medication that causes phototoxicity (Greist and Norins), 689 (Correspondence)
reply (Bickers), 690 (Correspondence)
- Biology of basal cell carcinoma: review (Pollack et al), 569
- Blacks, Bowen's disease in (Rosen et al), 364
- Blastomyces dermatitidis*, growth of, in culture of lesion after canine necropsy accident (Graham and Callaway), 785
- Blastomycosis, primary inoculation, in veterinarian (Graham and Callaway), 785
- Bleaching creams containing 2% hydroquinone in production of leukoderma (Fisher), 134 (Correspondence)
- Book reviews, 139, 281, 424, 563, 691, 817
- Boric acid poisoning (Schillinger et al), 667
- Bowen's disease in blacks (Rosen et al), 364
- Breast, male, Paget's disease of (Lancer and Moschella), 393
- Bullous disease, inflammatory, epidermolysis bullosa acquisita presenting as (Gammon et al), 382
eruption of systemic lupus erythematosus (Hall et al), 797 (Editorial)
- pemphigoid, bullous dermatoses clinically suggestive of; bullous systemic lupus erythematosus (Olansky et al), 511
coexisting, systemic lupus erythematosus and; immunofluorescent investigations (Clayton and Burnham), 236
erythrodermic, or erythrodermic psoriasis and bullous pemphigoid (Wallach), 800 (Correspondence)
reply (Tappeiner et al), 800 (Correspondence)
possible anti-inflammatory effects of erythromycin therapy in (Fox et al), 504
systemic lupus erythematosus (Olansky et al), 511

C

- Calcinosis cutis, uptake of ^{99m}Tc -methylene diphosphonate in (Kantarjian et al), 804 (Correspondence)
- Cancer in patients with psoriasis (Halprin et al), 633
risk, skin, bias in assessment of, in patients with psoriasis (Stern), 639 (Current issues)
response (Halprin et al), 641 (Current issues)
- skin, β_2 -microglobulin changes in (MacKie and Turbitt), 134 (Correspondence)
occurring in mycosis fungoides patients treated with topical nitrogen mustard (Lee et al), 590
treatment of, using multiple modalities (Albright), 143

Canine necropsy accident leading to primary inoculation blastomycosis in veterinarian (Graham and Callaway), 785

Capillary microscopy, office nail fold, using ophthalmoscope (Minkin and Rabhan), 190

Carcinoma, basal cell, biology of: review (Pollack et al), 569
metastatic basal cell, of skin (Kleinberg et al), 655

Carpal tunnel syndrome in cutaneous connective tissue disease (Winkelman et al), 94

CI esterase inhibitor deficiency and lupus erythematosus, association between (Massa and Connolly), 255

Cell, mast, and mastocytosis (DiBacco and DeLeo), 709

Chemical exfoliation (Farber), 279 (Correspondence)
face peels, safety of (Binstock), 137 (Correspondence)
reply (Tromovitch), 138 (Correspondence)

Climates, northern, cutaneous larva migrans (Edelglass et al), 353

Clindamycin, free, comedonal levels of, following topical treatment with 1% solution of clindamycin phosphate (Guin and Lummis), 265
hydrochloride, systemic absorption of, after topical application (Barza et al), 208
phosphate, comedonal levels of free clindamycin following topical treatment with 1% solution of (Guin and Lummis), 265
topical, versus systemic tetracycline in treatment of acne (Gratton et al), 50

Collagen diseases and vasculitis; dermatologic therapy: December, 1980, through November, 1981, 26

Comedonal levels of free clindamycin following topical treatment with 1% solution of clindamycin phosphate (Guin and Lummis), 265

Comedones, perianal, associated with chronic topical fluorinated steroid use (Oliet and Estes), 405 (Correspondence)

Complement, hereditary deficiency of fourth component of, systemic lupus erythematosus in (Tappeiner et al), 66

Conditioned hyperirritability, new look at (Roper and Jones), 643 (Clinical review)

Condylomata acuminata, topical 5-FU helpful in reducing rate of recurrence of (Kumar), 136 (Correspondence)

Congenital nevi, small (Cage), 685 (Correspondence)
reply (Rhodes), 687 (Correspondence)
onychodysplasia of index fingers (Millman and Strier), 57

Contemporaries, 565, 702

Continuing medical education examination, 18, 172, 313, 456, 578, 724

Continuing medical education examination answers, 17, 171, 312, 458, 580, 723

Contraceptives, oral, tetracycline and (Stockley), 279 (Correspondence)
reply (Coskey), 280 (Correspondence)

Corticosteroid, topical, effect of, on microbial flora of human skin (Chan et al), 346

Corynebacterium, species of, etiologic agent for pitted and ringed keratolysis (Zaia), 787 (Clinical review)

Cost-effectiveness study, public education program versus (Weary), 808 (Correspondence)

Council of Medical Specialty Societies in 1980s (Wilbur), 549 (Editorial)

Cross-sensitization between ethylenediamine and ethylenediamine tetraacetic acid (EDTA) (Kortschak; Fisher), 807, 808 (Correspondence)
reply (VanArsdel), 808 (Correspondence)

Cryosurgery cure rate of actinic keratoses (Lubritz and Smolewski), 631

Cryosurgery—cont'd
in treatment of skin cancer (Albright), 143

Curad adhesive plastic bandages, allergic contact dermatitis from dodecyl maleamic acid in (Heskel et al), 747

Cutaneous disease, T cell, tilorone hydrochloride in treatment of (Crotty and Winkelmann), 468
larva migrans in northern climates (Edelglass et al), 353
lesions heralding disseminated cytomegalovirus infection (Feldman et al), 545
occurring solitarily or in multiplicity, aspects of heredity, syndromic associations, and course of conditions (Jelinek), 526 (Clinical review)
manifestations of diabetes mellitus (Huntley), 427

Cysts, eruptive vellus hair—facial variant (Kumakiri et al), 461

Cytomegalovirus infection, disseminated, cutaneous lesions heralding (Feldman et al), 545

D

Deans, problems that they face (Caplan), 694 (Commentary)

Death in pemphigus (Ahmed and Moy), 221

Demodex brevis and *Demodex folliculorum* in cutaneous biopsies (Aylesworth and Vance), 583

Dermatitis, airborne contact, caused by tulip bulbs (Hausen), 500
allergic contact, from dodecyl maleamic acid in Curad adhesive plastic bandages (Heskel et al), 747
atopic, antistaphylococcal IgE in patients with (Abramson et al), 105
dermatologic therapy: December, 1980, through November, 1981, 27

Dermatologic disorders, other, psychological comparison of patients with malignant melanoma and (Cassileth et al), 742
Surgery, American Society for, Clinical and Scientific Meeting, Philadelphia, PA, April 23-26, 1981 (Robinson), 559
therapy: December, 1980, through November, 1981 (Coskey), 23

Dermatologist(s), direct access to (Cohen), 801 (Correspondence)
and teacher: Paul A. O'Leary, 705 (Epitaphs)

Dermatology, The American Board of, history of (1932-1982) (Livingood), 821 (Special article)

XVI International Congress of (Smith), 397 (Editorial)
and surgery (Field), 135 (Correspondence)
reply (Berger), 136 (Correspondence)

Dermatopathology 1982 (Everett), 133 (Editorial)

Desquamative gingivitis: clinical, histopathologic, immunopathologic, and therapeutic observations (Rogers et al), 729

Diabetes, control group of patients with, matched against PUVA-treated patients with psoriasis (Halprin et al), 633
mellitus, cutaneous manifestations of (Huntley), 427
secondary, cutaneous findings in (Huntley), 444

Direct access—another assault (Weary and Strauss), 398 (Editorial)
to dermatologists (Cohen), 801 (Correspondence)
strategies to promote: public education alternative (Bohm et al), 681 (Editorial)

Diseases, skin, associated with increased incidence of diabetes mellitus (Huntley), 446

Dodecyl maleamic acid in Curad adhesive plastic bandages, allergic contact dermatitis from (Heskel et al), 747

Drug sensitivity; thiostixene (Matsuoka), 405 (Correspondence)

Dystrophy, epidermal, and actinic keratoses in psoriasis patients following oral psoralen photochemotherapy (PUVA) (Abel et al), 333
familial severe twenty-nail (Arias et al), 349

E

Eccrine hidrocystomas (Sperling and Sakas), 763

- Electrosurgery in treatment of skin cancer (Albright), 143
- Emotional reactions, comparison of, in patients with melanoma and patients with other dermatologic disorders (Cassileth et al), 742
- Enzymes α_1 -antitrypsin and α_1 -antichymotrypsin, assessment of individual efficacy as markers of histiocytes in cutaneous infiltrates (Kerdell et al), 177
- Eosinophilic globules in Spitz nevus (Arbuckle and Weedon), 324
- Epidermal cell derived thymocyte activating factor (ETAF), possible role of, in inflammatory and neoplastic skin diseases (Sauder and Katz), 651 (Clinical review)
- products, immune modulation by; possible role of ETAF in inflammatory and neoplastic skin diseases (Sauder and Katz), 651 (Clinical review)
- dystrophy and actinic keratoses in psoriasis patients following oral psoralen photochemotherapy (PUVA) (Abel et al), 333
- Epidermolysis bullosa acquisita presenting as inflammatory bullous disease (Gammon et al), 382
- letalis and phenytoin (Bergfeld and Orlowski), 275 (Correspondence)
- replies (Bauer and Cooper; Esterly), 276, 277 (Correspondence)
- Epiphyseal closure, premature, in child receiving oral 13-*cis*-retinoic acid (Milstone et al), 663
- Epitaphs, 705
- Eruptive vellus hair cysts—facial variant (Kumakiri et al), 461
- Erythrasma, trichomycosis axillaris, and pitted keratolysis, coexistent: overlooked corynebacterial triad (Shelley and Shelley), 752
- Erythrocytes, plasma and, of chronic hemodialysis patients, porphyrin levels in (Poh-Fitzpatrick et al), 100
- Erythrodermic bullous pemphigoid or erythrodermic psoriasis and bullous pemphigoid (Wallach), 800 (Correspondence)
- reply (Tappeiner et al), 800 (Correspondence)
- Erythromycin therapy in bullous pemphigoid: possible anti-inflammatory effects (Fox et al), 504
- Ethylenediamine and ethylenediamine tetraacetic acid (EDTA), cross-sensitization between (Kortschak; Fisher), 807, 808 (Correspondence)
- reply (VanArsdel), 808 (Correspondence)
- Eusolex 8021, UVA-effective sunscreen, eruptions of PLE lesions blocked under laboratory conditions (Hölzle et al), 111 (Clinical review)
- Excision of skin tumors, double scalpel and double punch (Schultz and Roenigk), 495
- and suture closure surgery in treatment of skin cancer (Albright), 143
- Exfoliation, chemical (Farber), 279 (Correspondence)
- Eyelid edema, persistent unilateral, report of case of linear scleroderma presenting as (Long and Miller), 541
- F**
- Face peels, chemical, safety of (Binstock), 137 (Correspondence)
- reply (Tromovitch), 138 (Correspondence)
- Fasciitis, generalized morphea, lichen sclerosus, discoid lupus erythematosus, and lupus panniculitis; carpal tunnel syndrome in cutaneous connective tissue disease (Winkelmann et al), 94
- Fetal scalp monitor, neonatal herpes simplex associated with (Guill et al), 408 (Correspondence)
- Fetus, stillborn, maternal pemphigus vulgaris with in vivo bound antibodies in (Green and Maize), 388
- Fingers, index, congenital onychodysplasia of (Millman and Strier), 57
- Fluorinated steroid use, chronic topical, perianal comedones associated with (Oliet and Estes), 405 (Correspondence)
- Fluorouracil, intralesional, treatment of multiple keratoacanthomas with (Eubanks et al), 126
- Follicular lichen planus, immunofluorescent findings and clinical overlap in two cases of (Horn et al), 203
- Folliculitis, perforating, and psoriasis (Patterson et al), 369
- French Canadians and 12th International Congress of Dermatology (Forsey and Leclerc), 803 (Correspondence)
- reply (Sulzberger), 803 (Correspondence)
- Fungal infections; dermatologic therapy: December, 1980, through November, 1981, 29
- G**
- Gamma benzene hexachloride, safety of (Purres), 407 (Correspondence)
- Genetic predisposition to Kaposi's sarcoma (Novak), 806 (Correspondence)
- reply (Conant), 807 (Correspondence)
- Gingivitis, desquamative: clinical, histopathologic, immunopathologic, and therapeutic observations (Rogers et al), 729
- Glabrous skin, kerion of (Powell and Muller), 490
- Globules, eosinophilic, in Spitz nevus (Arbuckle and Weedon), 324
- Gynecomastia, ketoconazole and (Moncada and Baranda), 557 (Correspondence)
- H**
- Hair; dermatologic therapy: December, 1980, through November, 1981, 28
- Hematologic malignancies occurring in patients with urticaria pigmentosa (Cooper et al), 215
- Hematoma, development of, in unilocular, cystic pilomatricoma (Swerlick et al), 54
- Hemodialysis patients, chronic, porphyrin levels in plasma and erythrocytes of (Poh-Fitzpatrick et al), 100
- Hemorrhagic eruption, patient with murine typhus presenting with (Stasko et al), 377
- Heparin necrosis: anticoagulant-induced cutaneous infarct (Shelley and Sajen), 674
- Hepatitis and skin (Rogers et al), 552 (Editorial)
- Hereditary deficiency of fourth component of complement, systemic lupus erythematosus in (Tappeiner et al), 66
- Heredity, syndromic associations, and course of conditions in which cutaneous lesions occur solitarily or in multiplicity, aspects of (Jelinek), 526 (Clinical review)
- Herpes simplex, neonatal, associated with fetal scalp monitor (Guill et al), 408 (Correspondence)
- unusual treatments for herpesvirus infections (Thiers), 811
- Hidrocystomas, eccrine (Sperling and Sakas), 763
- Histiocytes, true, acute myelomonocytic leukemia presenting as primary cutaneous lymphoma of (Strayer et al), 229
- Hydroquinone 2%, bleaching creams containing, in production of leukoderma from? (Engasser and Maibach), 134 (Correspondence)
- Hyperglycemia, indomethacin-induced, in psoriatic arthritis (Tkach), 802 (Correspondence)
- reply (Ellis), 802 (Correspondence)
- Hyperhidrosis, indomethacin and (Goldyne), 800 (Correspondence)
- reply (Tkach), 801 (Correspondence)

Hyperirritability, conditioned, new look at (Roper and Jones), 643 (Clinical review)

I

- Ichthyoses(is) (Thiers), 421
congenital, unique form of; peeling skin syndrome (Levy and Goldsmith), 606
- IgE, antistaphylococcal, in patients with atopic dermatitis (Abramson et al), 105
- Immune modulation by epidermal cell products: possible role of ETAF in inflammatory and neoplastic skin diseases (Sauder and Katz), 651 (Clinical review)
- Immunofluorescent findings in childhood bullous diseases, brief summary of; erythromycin therapy in bullous pemphigoid (Fox et al), 504
and clinical overlap in two cases of follicular lichen planus (Horn et al), 203
investigations; systemic lupus erythematosus and coexisting bullous pemphigoid (Clayton and Burnham), 236
- Immunologic phenomena in vitiligo and psoriasis (Koransky and Roenigk), 183
- Indomethacin and hyperhidrosis (Goldyne), 800 (Correspondence)
reply (Tkach), 801 (Correspondence)
-induced hyperglycemia in psoriatic arthritis (Tkach), 802 (Correspondence)
reply (Ellis), 802 (Correspondence)
- Industrial sealants, hypersensitivity to (Dempsey), 779
- Infarct, anticoagulant-induced cutaneous; heparin necrosis (Shelley and Saïen), 674
- Infection(s), cutaneous, in diabetes mellitus (Huntley), 436
disseminated cytomegalovirus, cutaneous lesions heralding (Feldman et al), 545
herpesvirus, unusual treatments for; herpes simplex (Thiers), 811
- Infectious diseases: bacterial infections; dermatologic therapy: December, 1980, through November, 1981, 29
- Inflammatory bullous disease, epidermolysis bullosa acquisita presenting as (Gammun et al), 382
and neoplastic skin diseases, possible role of ETAF in (Sauder and Katz), 651 (Clinical review)
- Inoculation blastomycosis, primary, in veterinarian (Graham and Callaway), 785
- XVI International Congress of Dermatology (Smith), 397 (Editorial)
French Canadians and (Forsey and Leclerc), 803 (Correspondence)
reply (Sulzberger), 803 (Correspondence)

K

- Kaposi's sarcoma, genetic predisposition to (Novak), 806 (Correspondence)
reply (Conant), 807 (Correspondence)
- Keratoacanthomas, multiple, treatment of, with intralesional fluorouracil (Eubanks et al), 126
- Keratolysis, pitted, coexistent erythrasma, trichomycosis axillaris, and; overlooked corynebacterial triad (Shelley and Shelley), 752
and ringed (Zaïas), 787 (Clinical review)
- Keratosis(es), actinic, cryosurgery cure rate of (Lubritz and Smolewski), 631
epidermal dystrophy and, in psoriasis patients following oral psoralen photochemotherapy (PUVA) (Abel et al), 333
hypertrophic actinic (Billano and Little), 484
- Kerion of glabrous skin (Powell and Muller), 490

- Ketoconazole and gynecomastia (Moncada and Baranda), 557 (Correspondence)
- KOH, mineral oil versus, for *Sarcoptes* (Austin; Topham), 555 (Correspondence)
reply (Bhatia and Ong), 556 (Correspondence)

L

- Larva migrans, cutaneous, in northern climates (Edelglass et al), 353
- Leprosy, reactional lepromatous and various other conditions, use and possible mode of action of thalidomide in (Barnhill and McDougall), 317
- Lesions, cutaneous, heralding disseminated cytomegalovirus infection (Feldman et al), 545
occurring solitarily or in multiplicity, aspects of heredity, syndromic associations, and course of conditions (Jelinek), 526 (Clinical review)
skin, experimental reproduction of, in polymorphous light eruption (Hölzle et al), 111 (Clinical review)
- Leukemia, acute myelomonocytic, presenting as primary cutaneous lymphoma of true histiocytes (Strayer et al), 229
- Leukoderma from hydroquinone? (Engasser and Maibach), 134 (Correspondence)
- Lichen planus, follicular, immunofluorescent findings and clinical overlap in two cases of (Horn et al), 203
presenting as desquamative gingivitis (Rogers et al), 729
and systemic lupus erythematosus, coexistence of (Ahmed et al), 478
sclerosis, generalized morphea, fasciitis, discoid lupus erythematosus, and lupus panniculitis; carpal tunnel syndrome in cutaneous connective tissue disease (Winkelman et al), 94
- Light eruption, polymorphous (Hölzle et al), 111 (Clinical review)
- Lithium therapy, palmoplantar pustular psoriasis provoked by (White), 660
- Liver biopsies, methotrexate guidelines and (Carr), 688 (Correspondence)
reply (Roenigk et al), 688 (Correspondence)
- Loctite and Sta-Lok anaerobic sealants, hypersensitivity to (Dempsey), 779
- Lupus erythematosus, association between C1 esterase inhibitor deficiency and (Massa and Connolly), 255
bullous systemic (Olansky et al), 511
discoid, generalized morphea, lichen sclerosis, fasciitis, and lupus panniculitis; carpal tunnel syndrome in cutaneous connective tissue disease (Winkelman et al), 94
systemic, bullous eruption of (Hall et al), 797 (Editorial)
and coexisting bullous pemphigoid: immunofluorescent investigations (Clayton and Burnham), 236
in hereditary deficiency of fourth component of complement (Tappeiner et al), 66
and lichen planus, coexistence of (Ahmed et al), 478
panniculitis, generalized morphea, lichen sclerosis, fasciitis, discoid lupus erythematosus, and; carpal tunnel syndrome in cutaneous connective tissue disease (Winkelman et al), 94
- Lymphocytes and necrosis of cutaneous microvasculature in malignant atrophic papulosis: refined light microscope study (Soter et al), 620
- Lymphoma, cutaneous T cell; mycosis fungoides (Thiers), 1
primary cutaneous, of true histiocytes, acute myelomonocytic leukemia presenting as (Strayer et al), 229
- Lymphoproliferative cutaneous disease, T cell, tilorone hydrochloride in treatment of (Crotty and Winkelman), 468

Lysozyme, intracellular, demonstration of α_1 -antitrypsin and α_1 -antichymotrypsin in cutaneous histiocytic infiltrates and comparison with (Kerdell et al), 177

M

- Malignancies, cutaneous, treatment of; determination of half-dose depth in skin for soft x-rays (Harley et al), 328
- hematologic, occurring in patients with urticaria pigmentosa (Cooper et al), 215
- second cutaneous, in patients with mycosis fungoides treated with topical nitrogen mustard (Lee et al), 590
- Malignant atrophic papulosis, lymphocytes and necrosis of cutaneous microvasculature in: refined light microscope study (Soter et al), 620
- and premalignant conditions; dermatologic therapy: December, 1980, through November, 1981, 37
- Mastocytosis and mast cell (DiBacco and DeLeo), 709
- Maternal pemphigus vulgaris with in vivo bound antibodies in stillborn fetus (Green and Maize), 388
- Medical Specialty Societies in 1980s, Council of (Wilbur), 549 (Editorial)
- Melanoma, malignant, with oculocutaneous albinism (Scott et al), 684 (Correspondence)
- and other dermatologic disorders, psychological comparison of patients with (Cassileth et al), 742
- Metabolic disorders; dermatologic therapy: December, 1980, through November, 1981, 33
- Metastatic basal cell carcinoma of skin (Kleinberg et al), 655
- Methotrexate dosage schedule (Bart), 558 (Correspondence)
- reply (Weinstein et al), 558 (Correspondence)
- guidelines and liver biopsies (Carr), 688 (Correspondence)
- reply (Roenigk et al), 688 (Correspondence)
- ultraviolet B therapy, combined, in treatment of psoriasis (Paul et al), 758
- Methoxypsoralen, topical 8-, efficacy of, in varying concentrations and vehicles in vitiligo patients (Grimes et al), 771
- ^{99m}Tc-methylene diphosphonate, uptake of, in calcinosis cutis (Kantarjian et al), 804 (Correspondence)
- Michelin tire baby syndrome; folded skin with scarring (Burgdorf et al), 90
- Microbial flora of human skin, effect of topical corticosteroid on (Chan et al), 346
- β_2 -Microglobulin changes in skin cancer (MacKie and Turbitt), 134 (Correspondence)
- Mineral oil versus KOH for *Sarcoptes* (Austin; Topham), 555 (Correspondence)
- reply (Bhatia and Ong), 556 (Correspondence)
- Mites, hair follicle (*Demodex folliculorum* and *Demodex brevis*) in cutaneous biopsies (Aylesworth and Vance), 583
- Mohs' chemosurgery in treatment of skin cancer (Albright), 143
- Morphea, generalized, lichen sclerosus, fasciitis, discoid lupus erythematosus, and lupus panniculitis; carpal tunnel syndrome in cutaneous connective tissue disease (Winkelmann et al), 94
- Murine typhus; case report and review (Stasko and De Villez), 377
- Mycosis fungoides, controversies in (Thiers), 1
- hyperkeratotic, restricted to palms (Stasko et al), 792
- patients with, treated with topical nitrogen mustard, second cutaneous malignancies in (Lee et al), 590
- Myelomonocytic leukemia, acute, presenting as primary cutaneous lymphoma of true histiocytes (Strayer et al), 229

N

- Nail fold capillary microscopy, office, using ophthalmoscope (Minkin and Rabhan), 190
- Necrolysis, toxic epidermal, toxic shock syndrome or? (Hurwitz et al), 246
- Necropsy accident, canine, leading to primary inoculation blastomycosis in veterinarian (Graham and Callaway), 785
- Necrosis, heparin: anticoagulant-induced cutaneous infarct (Shelley and Saÿen), 674
- lymphocytes and, of cutaneous microvasculature in malignant atrophic papulosis: refined light microscope study (Soter et al), 620
- Necrotizing vasculitis and uveitis (Bisaccia et al), 274 (Correspondence)
- Neonatal herpes simplex associated with fetal scalp monitor (Guill et al), 408 (Correspondence)
- Neoplastic and inflammatory skin diseases, possible role of ETAF in (Sauder and Katz), 651 (Clinical review)
- Neurologic abnormalities in diabetes mellitus, cutaneous manifestations of (Huntley), 430
- Nevus(i) lipomatosis, underlying, Michelin tire baby syndrome characterized by excessive folds of skin associated with (Burgdorf et al), 90
- nevocellular, prophylactic excision of (Silvers), 409 (Correspondence)
- reply (Rhodes et al), 409 (Correspondence)
- small congenital (Cage), 685 (Correspondence)
- reply (Rhodes), 687 (Correspondence)
- Nitrogen mustard, topical, second cutaneous malignancies in patients with mycosis fungoides treated with (Lee et al), 590
- Nutrition not just for nutritionists anymore (Crounse), 400 (Editorial)

O

- Oculocutaneous albinism, malignant melanoma with (Scott et al), 684 (Correspondence)
- O'Leary, Paul A.—dermatologist and teacher, 705 (Epitaphs)
- Onychodysplasia, congenital, of index fingers (Millman and Strier), 57
- Ophthalmoscope, office nail fold capillary microscopy using (Minkin and Rabhan), 190
- Oral contraceptive—tetracycline controversy (Hudson and Callen), 269 (Editorial)
- Ozone reduction, stratospheric, causes and effects of: update (Urbach), 271 (Editorial)

P

- Paget's disease of male breast (Lancer and Moschella), 393
- Palmoplantar pustular psoriasis provoked by lithium therapy (White), 660
- Papulosis, malignant atrophic, lymphocytes and necrosis of cutaneous microvasculature in: refined light microscope study (Soter et al), 620
- Papulosquamous eruptions; dermatologic therapy: December, 1980, through November, 1981, 35
- Parasitic infections; dermatologic therapy: December, 1980, through November, 1981, 30
- Peeling skin syndrome (Levy and Goldsmith), 606
- Pemphigoid, cicatricial, presenting as desquamative gingivitis (Rogers et al), 729

Pemphigus, death in (Ahmed and Moy), 221
 foliaceus: case with serologic features of Seneear-Usher syndrome and other autoimmune abnormalities (Maize et al), 736
 vulgaris, maternal, with in vivo bound antibodies in stillborn fetus (Green and Maize), 388
 presenting as desquamative gingivitis (Rogers et al), 729
 "Pepeo" tree, *Mauria puberula* (Anacardiaceae), studies on skin-sensitizing properties of (Hurtado et al), 341
 Perianal comedones associated with chronic topical fluorinated steroid use (Oliet and Estes), 405 (Correspondence)
 Peterkin, George Alexander Grant, 702 (Contemporaries)
 Phenytoin, epidermolysis bullosa letalis and (Bergfeld and Or-lowski), 275 (Correspondence)
 replies (Bauer and Cooper; Esterly), 276, 277 (Correspondence)
 Photochemotherapy, optimal topical, for vitiligo, determination of (Grimes et al), 771
 Photo-onycholysis, benoxaprofen-induced (McCormack et al), 678
 Photoprotection of human skin (Bickers), 402 (Editorial)
 Phototoxicity, benoxaprofen new arthritis medication that causes (Greist and Norins), 689 (Correspondence)
 reply (Bickers), 690 (Correspondence)
 Pilomatricoma, rapid enlargement of (Swertlick et al), 54
 Pityriasis rosea in Rochester, Minnesota, 1969 to 1978 (Chuang et al), 80
 rubra pilaris, vitamin A and (Griffiths), 555 (Correspondence)
 Plasma and erythrocytes of chronic hemodialysis patients, porphyrin levels in (Poh-Fitzpatrick et al), 100
 Poisoning, boric acid (Schillinger et al), 667
 Polymorphous light eruption (Hölzle et al), 111 (Clinical review)
 Porphyrin levels in plasma and erythrocytes of chronic hemodialysis patients (Poh-Fitzpatrick et al), 100
 Problems that deans face (Caplan), 694 (Commentary)
 Prophylactic excision of nevocellular nevi (Silvers), 409 (Correspondence)
 reply (Rhodes et al), 409 (Correspondence)
 Pseudoainhum, psoriasis presenting with (McLaurin), 130
 Psoriasis, bias in assessment of skin cancer risk in patients with (Stern), 639 (Current issues)
 response (Halprin et al), 641 (Current issues)
 cancer in patients with (Halprin et al), 633
 combined methotrexate-ultraviolet B therapy in treatment of (Paul et al), 758
 constant low-dose ultraviolet light therapy for (Halprin et al), 614
 erythrodermic, and bullous pemphigoid, or erythrodermic bullous pemphigoid (Wallach), 800 (Correspondence)
 reply (Tappeiner et al), 800 (Correspondence)
 palmoplantar pustular, provoked by lithium therapy (White), 660
 perforating folliculitis and (Patterson et al), 369
 presenting with pseudoainhum (McLaurin), 130
 and vitiligo (Koransky and Roenigk), 183
 Psoriatic arthritis, indomethacin-induced hyperglycemia in (Tkach), 802 (Correspondence)
 reply (Ellis), 802 (Correspondence)
 Psychological comparison of patients with malignant melanoma and other dermatologic disorders (Cassileth et al), 742
 Public education alternative; strategies to promote direct access (Bohm et al), 681 (Editorial)
 program versus cost-effectiveness study (Weary), 808 (Correspondence)

PUVA (oral psoralen photochemotherapy), epidermal dystrophy and actinic keratoses in psoriasis patients following (Abel et al), 333
 -treated patients with psoriasis matched against control group of patients with diabetes (Halprin et al), 633

R

Radiation, solar, topical and systemic approaches for protection of human skin against harmful effects of; sunscreens (Pathak), 285
 therapy in treatment of skin cancer (Albright), 143
 Reactional lepromatous leprosy and various other conditions, use and possible mode of action of thalidomide in (Barnhill and McDougall), 317
 Reactions, cutaneous, to antidiabetic drugs (Huntley), 449
 Research, skin, support for (Anderson), 278 (Correspondence)
 sources of (Weary), 556 (Correspondence)
 13-*cis*-Retinoic acid, premature epiphyseal closure in child receiving (Milstone et al), 663
 topical therapy with, in perforating folliculitis and psoriasis (Patterson et al), 369

S

Sarcoptes, mineral oil versus KOH for (Austin; Topham), 555 (Correspondence)
 reply (Bhatia and Ong), 556
 Scalpel, double, and double punch excision of skin tumors (Schultz and Roenigk), 495
 Scarring, folded skin with; Michelin tire baby syndrome? (Burgdorf et al), 90
 Scleroderma, linear (Long and Miller), 541
 Sealants, anaerobic, Sta-Lok and Loctite, hypersensitivity to (Dempsey), 779
 Seneear-Usher syndrome and other autoimmune abnormalities, case of pemphigus foliaceus with serologic features of (Maize et al), 736
 Skin cancer, β_2 -microglobulin changes in (MacKie and Turbitt), 134 (Correspondence)
 risk in patients with psoriasis, bias in assessment of (Stern), 639 (Current issues)
 response (Halprin et al), 641 (Current issues)
 treatment of, using multiple modalities (Albright), 143
 determination of half-dose depth in, for soft x-rays (Harley et al), 328
 findings, less distinct, associated with diabetes mellitus (Huntley), 443
 other distinct, in diabetes mellitus (Huntley), 438
 hepatitis and (Rogers et al), 552 (Editorial)
 human, effect of topical corticosteroid on microbial flora of (Chan et al), 346
 photoprotection of (Bickers), 402 (Editorial)
 topical and systemic approaches for protection of, against harmful effects of solar radiation; sunscreens (Pathak), 285
 research, support for (Anderson), 278 (Correspondence)
 sources of (Weary), 556 (Correspondence)
 -sensitizing properties of "pepeo" tree, *Mauria puberula* (Anacardiaceae), studies on (Hurtado et al), 341
 tumors, sunscreens for delay of ultraviolet induction of (Wulf et al), 194
 Spitz nevus, eosinophilic globules in (Arbuckle and Weedon), 324

- Sta-Lok and Loctite anaerobic sealants, hypersensitivity to (Dempsey), 779
- Staphylococcus aureus* most commonly found organism in pemphigus (Ahmed and Moy), 221
- Steroid(s), cautious and judicious use of, in treatment of pemphigus (Ahmed and Moy), 221
- use, chronic topical fluorinated, perianal comedones associated with (Oliet and Estes), 405 (Correspondence)
- Stomatitis, aphthous (Rosenthal), 689 (Correspondence)
- Storck, Hans R, M.D., 565 (Contemporaries)
- Strategies to promote direct access: public education alternative (Bohm et al), 681 (Editorial)
- Stratospheric ozone reduction, causes and effects of: update (Urbach), 271 (Editorial)
- Sunscreens for delay of ultraviolet induction of skin tumors (Wulf et al), 194
- topical and systemic approaches for protection of human skin against harmful effects of solar radiation (Pathak), 285
- Surgery, dermatology and (Field), 135 (Correspondence)
- reply (Berger), 136 (Correspondence)
- Suture closure surgery, excision and, in treatment of skin cancer (Albright), 143
- Systemic absorption of clindamycin hydrochloride after topical application (Barza et al), 208
- lupus erythematosus and coexisting bullous pemphigoid: immunofluorescent investigations (Clayton and Burnham), 236
- T
- T cell dysfunction, allopurinol-induced suppressor (Elion and Williams), 687 (Correspondence)
- reply (Berken), 688 (Correspondence)
- lymphoproliferative cutaneous disease, tilorone hydrochloride in treatment of (Crotty and Winkelmann), 468
- Teacher, dermatologist and: Paul A. O'Leary, 705 (Epitaphs)
- Tetracycline and oral contraceptives (Stockley), 279 (Correspondence)
- reply (Coskey), 280 (Correspondence)
- oral contraceptive controversy (Hudson and Callen), 269 (Editorial)
- systemic, topical clindamycin versus, in treatment of acne (Gratton et al), 50
- Thalidomide: use and possible mode of action in reactional lepromatous leprosy and in various other conditions (Barnhill and McDougall), 317
- Therapeutic agent, useful, vitamin E as (Ayles and Mihan), 521 (Current issues)
- response (Roberts), 522 (Current issues)
- Therapy, dermatologic: December, 1980, through November, 1981 (Coskey), 23
- Thiothixene drug sensitivity (Matsuoka), 405 (Correspondence)
- Thymocyte activating factor, epidermal cell derived, possible role of, in inflammatory and neoplastic skin diseases (Sauder and Katz), 651 (Clinical review)
- Tilorone hydrochloride in treatment of T cell lymphoproliferative cutaneous disease (Crotty and Winkelmann), 468
- Topical application of clindamycin hydrochloride, systemic absorption after (Barza et al), 208
- clindamycin versus systemic tetracycline in treatment of acne (Gratton et al), 50
- 5-FU helpful in reducing rate of recurrence of condylomata acuminata (Kumar), 136 (Correspondence)
- Toxic epidermal necrolysis, toxic shock syndrome or? (Hurwitz et al), 246
- Trichomycosis axillaris, erythrasma, and pitted keratolysis, coexistent: overlooked corynebacterial triad (Shelley and Shelley), 752
- Tulip bulbs, airborne contact dermatitis caused by (Hausen), 500
- Tumors of skin; aspects of heredity, syndromic associations, and course of conditions in which cutaneous lesions occur solitarily or in multiplicity (Jelinek), 526 (Clinical review)
- double scalp and double punch excision of (Schultz and Roenigk), 495
- sunscreens for delay of ultraviolet induction of (Wulf et al), 194
- Twenty-nail dystrophy, familial severe (Arias et al), 349
- U
- Ulcers, stasis, of lower extremities, conditioned hyperirritability associated with (Roper and Jones), 643 (Clinical review)
- Ultraviolet B-methotrexate therapy, combined, in treatment of psoriasis (Paul et al), 758
- light therapy, constant low-dose, for psoriasis (Halprin et al), 614
- Urticaria pigmentosa, cutaneous mastocytosis or (DiBacco and DeLeo), 709
- hematologic malignancies occurring in patients with (Cooper et al), 215
- Urticarial vasculitis, clinical and histopathologic spectrums of (Sanchez et al), 599
- Uveitis, necrotizing vasculitis and (Bisaccia et al), 274 (Correspondence)
- V
- Vascular abnormalities in diabetes mellitus, cutaneous manifestations of (Huntley), 428
- Vasculitis, collagen diseases and; dermatologic therapy: December, 1980, through November, 1981, 26
- livedo, antiplatelet therapy in atrophic blanche and (Drucker and Duncan), 359
- lymphocyte-mediated necrotizing, cutaneous lesions of malignant atrophic papulosis may result from (Soter et al), 620
- urticarial, clinical and histopathologic spectrums of (Sanchez et al), 599
- and uveitis, necrotizing (Bisaccia et al), 274 (Correspondence)
- Vellus hair cysts, eruptive—facial variant (Kumakiri et al), 461
- Vesiculobullous eruptions; dermatologic therapy: December, 1980, through November, 1981, 40
- Veterinarian, primary inoculation blastomycosis in (Graham and Callaway), 785
- Viral infections; dermatologic therapy: December, 1980, through November, 1981, 31
- Vitamin A and pityriasis rubra pilaris (Griffiths), 555 (Correspondence)
- E as useful therapeutic agent (Ayles and Mihan), 521 (Current issues)
- response (Roberts), 522 (Current issues)
- Vitiligo, determination of optimal topical photochemotherapy for (Grimes et al), 771
- and psoriasis (Koransky and Roenigk), 183
- Volume 7 contents, 851
- X
- X-rays, soft, determination of half-dose depth in skin for (Harley et al), 328

